

In the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims

1. (original) A tool stocking and sorting system, comprising:
first tool storage storing a first tool currently in use;
second tool storage storing a second tool not currently in use;
third tool storage serving as an outlet for a third tool not in use; and
a host system adapted to re-locate the first, second, and third tools among the
first, second, and third storage as a function of demand data pertaining to
a product corresponding to the respective tool.
2. (original) The system of claim 1, wherein the tool is a reticle.
3. (original) The system of claim 1, wherein the demand data is order or
order prediction data.
4. (original) The system of claim 1, wherein the host system calculates a first
idle time, and resets the first idle time when demand data of the product corresponding
to the first tool is received.

5. (original) The system of claim 4, wherein the host system determines a first time limit, and issues a first transfer command to move the first tool from first tool storage to second tool storage when the first idle time exceeds the first time limit.

6. (original) The system of claim 1, wherein the host system issues a first return command to move the second tool from second tool storage to first tool storage when demand data of the product corresponding to the second tool is received.

7. (original) The system of claim 1, wherein the host system determines a second time limit, calculates a second idle time, and issues a second transfer command to move the second tool from second tool storage to third tool storage when the second idle time exceeds the second time limit.

8. (original) The system of claim 1, wherein the host system issues a second return command to move the third tool from third tool storage to first tool storage when demand data of the product corresponding to the third tool is received.

9. (original) A tool stocking and sorting method, comprising:
providing first, second and third tool storage storing first, second, and third tools respectively; and
relocating the first, second, and third tools among the first, second, and third tool storage as a function of demand data pertaining to a product corresponding to the respective tool.

10. (original) The method of claim 9, wherein the tool is a reticle.
11. (original) The method of claim 9, wherein the demand data is order or order prediction data.
12. (original) The method of claim 9, further comprising:
determining a first time limit;
calculating a first idle time of the first tool, and resetting the first idle time when
demand data of the product corresponding to the first tool is received;
issuing a first transfer command to move the first tool from first tool storage to
second tool storage when the first idle time exceeds the first time limit.
13. (original) The method of claim 9, further comprising:
determining a second time limit;
calculating a second idle time, and resetting the second idle time when demand
data of the product corresponding to the second tool is received; and
issuing a second transfer command to move the second tool from second tool
storage to third tool storage when the second idle time exceeds the
second time limit.

14. (original) The method of claim 13, further comprising issuing a first return command to return the second tool from second tool storage to first tool storage when demand data of the product corresponding to the second tool is received.

15. (original) The method of claim 9, further comprising issuing a second return command to return the third tool from third tool storage to first tool storage when demand data of the product corresponding to the third tool is received.

16. (original) A computer readable storage medium for storing a computer program providing a tool management method controlling storing and sorting of tools in a manufacturing system, the method comprising:

receiving first and second time limits;

calculating a first idle time and resetting the first idle time when demand data of a product corresponding to a first tool is received;

issuing a first transfer command to move the first tool from first tool storage to second tool storage when the first idle time exceeds the first time limit;

calculating a second idle time and resetting the second idle time when demand data of the product corresponding to a second tool is received; and

issuing a second transfer command to move the second tool from second tool storage to third tool storage when the second idle time exceeds the second time limit.

17. (original) The storage medium of claim 16, wherein the method further comprises issuing a first return command to return the second tool from second tool storage to first tool storage when demand data of the product corresponding to the second tool is received.

18. (original) The storage medium of claim 16, wherein the method further comprises issuing a second return command to return the third tool from third tool storage to second tool storage when demand data of the product corresponding to the third tool is received.

19. (original) The storage medium of claim 16, wherein the tool is a reticle.

20. (original) The storage medium of claim 16, wherein the demand data is order or order prediction data.